

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	MAYERGOYZ-ISAAC-D.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 14:19
S2	1139	magnetic adj imaging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/19 14:12
S3	10	S2 and spin adj stand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/19 15:37
S4	12675	324/210,211,212,244,260.ccls. 360/31,77.04,75,77.02,78.04.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 13:41
S5	475	spin adj stand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/19 15:42
S6	73	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/19 15:40
S7	29	S6 and track near2 center\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/19 15:40
S8	15	S7 and track near2 follow\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/19 15:50
S10	32726	oscilloscope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/19 15:53

S11	44	S5 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/19 15:50
S13	32	oscilloscope and 324/212.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 16:31
S14	2	TSE-CHUN.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 15:36
S15	2	KRAFFT-CHARLES-S.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 14:47
S16	1	MIRCEA-DRAGOS-I.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 14:47
S17	2266360	(computer processor microprocessor evaluation adj (device unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 15:37
S18	476	spin adj stand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 15:37
S19	32741	oscilloscope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 15:37
S20	44	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 16:29

S21	29	S20 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 15:37
S22	1	("5287228").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/21 15:46
S23	26	S20 and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 16:29
S24	7	S20 and read near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 16:29
S25	4	S24 and (processor computer micro\$1processor cpu evaluation adj (unit device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 16:30
S27	32	oscilloscope and 324/212.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 16:45
S28	23	S27 and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 16:32
S29	0	("6400519").URPN.	USPAT	OR	ON	2005/09/21 16:43
S30	4	("5650887"   "5982568"   "5995305"   "6295175").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/21 16:44
S31	3124	(adjust\$4 chang\$3 alter\$3 pressur\$3 eccentric\$5) near3 (disk harddisk magnetic adj (medium material)) with (spin adj stand spindle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 16:55
S32	12686	324/210,211,212,244,260.ccls. 360/31,77. 04,75,77.02,78.04.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 16:55

S33	120	S32 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 19:38
S34	0	hard adj disk near3 spindle near3 screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 19:38
S35	50	hard adj disk with spindle with screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 19:42
S36	12686	324/210,211,212,244,260.ccls. 360/31,77.04,75,77.02,78.04.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 19:39
S37	1	S36 and hard adj disk with spindle with screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 19:39
S38	5118	disk with spindle near3 (adjust\$4 attach\$4 screw\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 19:43
S39	255	S36 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 19:43
S40	1192	disk with spindle near3 (screw\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 19:44
S41	12	S36 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 19:46

S42	12	oscilloscope near3 skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:06
S43	931	(controller processor micro\$1processor cpu computer evaluation adj (device unit)) near3 skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:07
S44	59	(controller processor micro\$1processor cpu computer evaluation adj (device unit)) near3 skew with compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:11
S45	12	S44 and head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:08
S46	139	(controller processor micro\$1processor cpu computer evaluation adj (device unit)) near3 skew with (compensat\$3 adjust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:12
S47	2	S46 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:13
S48	24	S36 and compensat\$3 near3 skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:27
S49	598	compar\$3 near3 track with disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:28
S50	96	S36 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:29

S51	10	S50 and skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:29
S52	21	S49 and skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:45
S53	659	spindle and track adj center\$3 and track adj follow\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 20:46
S54	10	S53 and spin adj stand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 21:08
S55	1818	(before incomplet\$4 finish\$3) near3 read\$3 same head and disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 21:09
S56	109	S55 and eccentric\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 21:09
S57	67	S56 and track	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/21 21:10
S58	38	324/212.ccls. and alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 13:41
S59	193	360/77.06.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 13:41

S60	12812	324/210,211,212,244,260.ccls. 360/31,77.04,75,77.02,77.06,78.04.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 13:45
S61	12	S60 and drive adj index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 13:45
S62	63	S60 and servo adj gain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 14:20
S63	5	S60 and servo adj gain with known	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:03
S64	1144	magnetic adj imaging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:03
S65	10	S64 and spin adj stand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:03
S66	2	("6281676"   "6510015").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 15:07
S67	417	spin adj stand	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/22 15:07
S68	476	spin adj stand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:07
S69	10	S68 and track adj center\$3 and track adj follow\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:08

S70	51	S68 and alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:16
S73	1	data near3 alignment same trigger\$3 and spindle and disk and track adj follow\$3 and track adj center\$3 and oscilloscope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:12
S74	2	data near3 alignment same trigger\$3 and spindle and disk and track adj follow\$3 and track adj center\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 17:07
S75	8	data near3 alignment and trigger\$3 and spindle and disk and track adj follow\$3 and track adj center\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:14
S76	1	S75 and skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:14
S77	42	324/210-212.ccls. and skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:14
S78	9	S77 and alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:14
S79	242	S60 and oscilloscope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:16
S80	88	S79 and align\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:20

S81	461	skew near3 deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:20
S82	9	S81 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:20
S83	2	S82 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:23
S84	9	skew adj angle same oscilloscope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:24
S85	17	compensat\$5 with skew near3 deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:25
S86	5844	cross near3 track and along near3 track	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:25
S87	12	cross near3 track with voltage and along near3 track with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/22 15:25
S96	4072	skew adj angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 13:39
S97	12812	324/210,211,212,244,260.ccls. 360/31,77. 04,75,77.02,77.06,78.04.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/27 14:18

S98	175	S96 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 13:42
S99	15	skew near2 (angle deviation) with track with data and (compensat\$5) near3 skew and (hard near3 disk magnetic near3 disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:03
S100	21	skew near2 (angle deviation) with track and (compensat\$5) near3 skew and (hard near3 disk magnetic near3 disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:03
S101	10	("4470082").URPN.	USPAT	OR	ON	2005/09/23 14:14
S103	193	360/77.06.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:15
S104	110	S103 and (processor cpu computer micro\$I processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 17:39
S105	1	S104 and oscilloscope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:19
S106	11	S104 and skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:35
S107	0	read adj back adj voltage same compensat\$5 near3 skew same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:35
S108	0	read adj back adj voltage same compensat\$5 near3 skew same (processor cpu computer micro\$I processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:40

S109	1	count\$3 near3 drive adj index same increment\$5 same revolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:41
S110	44	count\$3 near3 index same increment\$5 same revolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:42
S111	7	drive adj index same increment\$5 same revolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:43
S112	12	S97 and drive adj index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:43
S113	1132	S97 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:43
S114	20	S97 and index same count\$5 near3 increment\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:49
S115	7	S97 and index same count\$5 near3 increment\$5 same (rotation revolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 15:08
S116	92	S97 and index same count\$5 same (rotation revolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 14:55
S119	46	spindle near3 (rotat\$3 revolution) with (index commutation) same increment\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 15:22

S120	106	disk near3 (rotat\$3 revolution) with (index commutation) same increment\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 15:23
S121	103	S120 not S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 15:32
S122	28674	trigger\$3 with (index commutation rotat\$3 revolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 15:33
S123	128	trigger\$3 with (index commutation rotat\$3 revolution) same oscilloscope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 15:34
S124	6	S97 and S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 15:40
S126	443	S97 and compar\$3 near3 track	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 15:45
S127	7	S97 and compar\$3 near3 track same skew and (processor cpu computer micro\$1processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 15:41
S128	4	S97 and compar\$3 near3 track with calibrat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 16:08
S129	66	track adj follow\$3 same skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 16:18

S130	54	spin adj stand and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 17:03
S132	11	S104 and skew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/23 19:57
S142	1059	324/212.ccls. 360/77.04,77.06.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/26 19:36
S150	1	S142 and (spin adj stand and alignment and disk and spindle and head).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 14:29
S151	1	S142 and (spin adj stand and disk and spindle and oscilloscope and skew).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 14:30
S154	2055	360/31.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/27 13:39
S155	12824	324/210,211,212,244,260.ccls. 360/31,77.04,75,77.02,77.06,78.04.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/27 14:19
S156	134	S155 and alignment and (prior before) near3 read\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/27 14:19
S157	1	S154 and (spin adj stand and alignment and disk and spindle and head).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 14:30
S158	1	S154 and (spin adj stand and disk and spindle and oscilloscope and skew).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 14:30
S159	1	(spin adj stand and alignment and disk and spindle and head).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 14:30
S160	1	(spin adj stand and disk and spindle and oscilloscope and skew).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 14:30